ELSEVIER

Carbohydrate Polymers 41 (2000) 439–442

Carbohydrate Polymers

www.elsevier.com/locate/carbpol

CONTENTS OF VOLUME 41

Number 1

1 Influence of the carbohydrate composition on the molecular weight distribution of kraft pulps
E. SJÖHOLM, K. GUSTAFSSON, F. BERTHOLD & A. COLMSJÖ (STOCKHOLM, SWEDEN)

9 Preparation of water-soluble/insoluble derivatives of hyaluronic acid by cross-linking with epichlorohydrin in aqueous $NaOH/NH_4OH$ solution
I. ŠIMKOVIC, M. HRICOVÍNI, L. ŠOLTÉS (BRATISLAVA, SLOVAK REPUBLIC), R. MENDICHI & C. COSENTINO (MILAN, ITALY)

15 Preparation and characterisation of gels based on sucrose modified with glycidyl methacrylate
L. FERREIRA, M. M. VIDAL, C. F. G. C. GERALDES & M. H. GIL (COIMBRA, PORTUGAL)

25 Phase behavior and rheology in water and in model paint formulations thickened with HM-EHEC: influence of the chemical structure and the distribution of hydrophobic tails
L. KARLSON (STENUNGSUND, SWEDEN), F. JOABSSON & K. THURESSON (LUND, SWEDEN)

37 ^{1}H and ^{13}C nuclear magnetic resonance identification and characterization of components of chondroitin sulfates of various origin
A. MUCCI, L. SCHENETTI & N. VOLPI (MODENA, ITALY)

47 Free radical grafting onto cellulose in homogeneous conditions. 2. Modified cellulose–methyl methacrylate system
E. BIANCHI, A. BONAZZA, E. MARSANO & S. RUSSO (GENOA, ITALY)

55 Cell wall polysaccharides from *Mandevilla velutina* (Apocynaceae) cultured cells: extraction and chemical structure
M. MARASCHIN, S. G. CAROBREZ (FLORIANOPOLIS, BRAZIL), D. PERSIKE (LEIDEN, THE NETHERLANDS), M. L. PEIXOTO (FLORIANOPOLIS, BRAZIL), A. G. FERREIRA, R. FERRACIN (SAO CARLOS, BRAZIL), R. VERPOORTE (LEIDEN, THE NETHERLANDS) & J. D. FONTANA (CURITIBA, BRAZIL)

61 Starch–lanthanum complexes
P. TOMASIK (KRAKOW, POLAND), C. SCHILLING, J. ANDEREGG & M. REFVIK (AMES, IA, USA)

Book Reviews

69 Paper and Composites from Agro-based Resources
69 Spectral Methods in Food Analysis
70 A Complete Introduction to Modern NMR Spectroscopy
70 Organozinc Reagent: A Practical Approach

Special Section: Thermal Properties of Carbohydrate Polymers

73 Editorial: Thermal properties of carbohydrate polymers
H. HATAKEYAMA (FUKUI, JAPAN) & T. HATAKEYAMA (TOKYO, JAPAN)

75 Solvent concentration in a specified region of regenerated cellulose solid evaluated from dynamic viscoelasticity in a hydrophilic solvent
S.-I. MANABE & R. FUJIOKA (FUKUOKA, JAPAN)

0144–8617/00/$ - see front matter © 2000 Elsevier Science Ltd. All rights reserved

83 Effect of acetyl content on the sorption isotherm of water by cellulose acetate: comparison with the thermal analysis results
H. GOCHO (TOKYO, JAPAN), H. SHIMIZU (UTSUNOMIYA-CITY, JAPAN), A. TANIOKA, T.-J. CHOU & T. NAKAJIMA (TOKYO, JAPAN)

87 Effect of polymer chain end on sorption isotherm of water by chitosan
H. GOCHO (TOKYO, JAPAN), H. SHIMIZU (UTSUNOMIYA-CITY, JAPAN), A. TANIOKA, T.-J. CHOU & T. NAKAJIMA (TOKYO, JAPAN)

91 Phenomenological theory describing the behaviour of non-freezing water in structure formation process of polysaccharide aqueous solutions
M. TAKAHASHI (NAGANO, JAPAN), T. HATAKEYAMA (TOKYO, JAPAN) & H. HATAKEYAMA (FUKUI, JAPAN)

97 Thermal studies on the gelatinisation and retrogradation of heat–moisture treated starch
T. TAKAYA, C. SANO & K. NISHINARI (OSAKA, JAPAN)

101 Phase transition of pectin with sorbed water
M. IIJIMA, K. NAKAMURA, T. HATAKEYAMA (TOKYO, JAPAN) & H. HATAKEYAMA (FUKUI, JAPAN)

107 Calendar

109 Bibliography

Number 2

111 The origin of circular dichroism in unsubstituted carbohydrate polymers
A. PARRA & E. S. STEVENS (BINGHAMTON, NY, USA)

115 Preparation of *O*-acylated low-molecular-weight carrageenans with potent anti-HIV activity and low anticoagulant effect
T. YAMADA (YOKOHAMA, JAPAN), A. OGAMO (TOKYO, JAPAN), T. SAITO (YOKOHAMA, JAPAN), H. UCHIYAMA (KANAGAWA, JAPAN) & Y. NAKAGAWA (TOKYO, JAPAN)

121 Composition of chains in waxy-rice starch and its structural units
E. BERTOFT (TURKU, FINLAND) & K. KOCH (UPPSALA, SWEDEN)

133 Production of chitooligosaccharides using an ultrafiltration membrane reactor and their antibacterial activity
Y.-J. JEON & S.-K. KIM (PUSAN, SOUTH KOREA)

143 Enzymic release of cellobiose from sugar beet pulp, and its use to favour vanillin production in *Pycnoporus cinnabarinus* from vanillic acid
E. BONNIN, H. GRANGÉ (NANTES, FRANCE), L. LESAGE-MEESSEN, M. ASTHER (MARSEILLE, FRANCE) & J.-F. THIBAULT (NANTES, FRANCE)

153 Aggregation of cellulose in lithium chloride/*N*,*N*-dimethylacetamide
E. SJÖHOLM, K. GUSTAFSSON, B. ERIKSSON (STOCKHOLM, SWEDEN), W. BROWN (UPPSALA, SWEDEN) & A. COLMSJÖ (STOCKHOLM, SWEDEN)

163 Starch molecular structure and phosphorylation investigated by a combined chromatographic and chemometric approach
A. BLENNOW, S. B. ENGELSEN, L. MUNCK & B. L. MØLLER (FREDERIKSBERG, DENMARK)

175 The *N*-acylation of chitosan fibre and the *N*-deacetylation of chitin fibre and chitin–cellulose blended fibre at a solid state
S. HIRANO, M. ZHANG, B. G. CHUNG & S. K. KIM (TOTTORI, JAPAN)

181 Viscosity–temperature–concentration relationship for starch–DMSO–water solutions
C. L. DE VASCONCELOS, F. G. DE AZEVEDO, M. R. PEREIRA & J. L. C. FONSECA (NATAL, BRAZIL)

185 Preparation of a sulfated linear (1 → 4)-β-D-galactan with variable degrees of sulfation
H. VOGL, D. H. PAPER & G. FRANZ (REGENSBURG, GERMANY)

191 Acid degradation of starch. The effect of acid and starch type
V. SINGH & S. Z. ALI (MYSORE, INDIA)

197 Interpenetrating polymer network hydrogels based on poly(ethylene glycol) macromer and chitosan
S. J. LEE, S. S. KIM & Y. M. LEE (SEOUL, SOUTH KOREA)

207 Shape, molecular weight distribution and viscosity of amylopectin in dilute solution
C. M. DURRANI & A. M. DONALD (CAMBRIDGE, UK)

Book Reviews

219 Specialist Periodical Reports: Carbohydrate Chemistry
219 Functional Properties of Food Macromolecules
220 Spectroscopic Methods in Organic Chemistry
220 Polymer Synthesis and Characterization: A Laboratory Manual

223 Calendar

225 Bibliography

Number 3

Special Issue

227 Frontiers in Carbohydrate Research—6
J. N. BEMILLER (WEST LAFAYETTE, IN, USA)

229 Tapping mode atomic force microscopy of the hyaluronan derivative, hylan A
M. K. COWMAN, M. LI, A. DYAL (BROOKLYN, NY, USA) & E. A. BALAZS (RIDGEFIELD, NJ, USA)

237 Structural diversity of chitosan and its complexes
K. OKUYAMA, K. NOGUCHI, M. KANENARI, T. EGAWA, K. OSAWA (TOKYO, JAPAN) & K. OGAWA (OSAKA, JAPAN)

249 Physicochemical properties and structural characterization by two-dimensional NMR spectroscopy of wheat β-D-glucan—comparison with other cereal β-D-glucans
W. CUI, P. J. WOOD, B. BLACKWELL & J. NIKIFORUK (GUELPH, CANADA)

259 Synthesis of fast-swelling, superporous sucrose hydrogels
J. CHEN & K. PARK (WEST LAFAYETTE, IN, USA)

269 Channels of maize and sorghum starch granules
K. C. HUBER & J. N. BEMILLER (WEST LAFAYETTE, IN, USA)

277 Preparation of starch betainate: a novel cationic starch derivative
H. GRANÖ, J. YLI-KAUHALUOMA, T. SUORTTI (VTT, FINLAND), J. KÄKI & K. NURMI (RAISIO, FINLAND)

285 Resistant starch—a review of the physical properties and biological impact of RS_3
S. G. HARALAMPU (BEDFORD, MA, USA)

293 Involvement of sugars in protein–protein interactions
P. K. QASBA (FREDERICK, MD, USA)

311 Bibliography

315 Calendar

Number 4

317 Extrusion of pectin/starch blends plasticized with glycerol
M. L. FISHMAN, D. R. COFFIN, R. P. KONSTANCE & C. I. ONWULATA (WYNDMOOR, PA, USA)

327 Matrix metalloproteinase (MMP) 9 induced in skin and subcutaneous tissue by implanted chitin in rats
T. NAKADE, H. YOKOTA, H. TANIYAMA, Y. HORI, N. AGATA, T. IKEDA, H. FURUSAKI, Y. YAMADA, Y. UCHIDA, A. YUASA (EBETSU, JAPAN), M. YAMAGUCHI (COLUMBUS, OH, USA) & K. OTOMO (EBETSU, JAPAN)

331 Texture properties of high and low acyl mixed gellan gels
R. MAO, J. TANG & B. G. SWANSON (PULLMAN, WA, USA)

339 Thermally reversible acid-induced gelation of low-methoxy pectin
P. M. GILSENAN, R. K. RICHARDSON & E. R. MORRIS (SILSOE, UK)

351 Crystallization behavior and environmental biodegradability of the blend films of poly(3-hydroxybutyric acid) with chitin and chitosan
T. IKEJIMA & Y. INOUE (YOKOHAMA, JAPAN)

357 Comparison of the glycosaminoglycans isolated from the skin and head cartilage of Gould's arrow squid (*Nototodarus gouldi*)
R. FALSHAW, U. HUBL, D. OFMAN, G. C. SLIM, M. AMJAD TARIQ (LOWER HUTT, NEW ZEALAND), D. K. WATT & S. C. YORKE (PALMERSTON NORTH, NEW ZEALAND)

365 Characterization of barley starches of waxy, normal, and high amylose varieties
Y. SONG & J. JANE (AMES, IA, USA)

379 Acetylation of wheat straw hemicellulose B in a new non-aqueous swelling system
J. M. FANG, R. SUN, J. TOMKINSON & F. FOWLER (BANGOR, UK)

389 The study of gelation kinetics and chain-relaxation properties of glutaraldehyde-cross-linked chitosan gel and their effects on microspheres preparation and drug release
F.-L. MI (KAOSHING, TAIWAN), C.-Y. KUAN, S.-S. SHYU (CHUNG-LI, TAIWAN), S.-T. LEE (KAOSHING, TAIWAN) & S.-F. CHANG (TAIPEI, TAIWAN)

397 Heterogeneity in a water-extractable rye arabinoxylan with a low degree of disubstitution
M. NILSSON, R. ANDERSSON, R. E. ANDERSSON (UPPSALA, SWEDEN), K. AUTIO (ESPOO, FINLAND) & P. ÅMAN (UPPSALA, SWEDEN)

407 Syntheses and characterisation of graft copolymers of maize starch and methacrylonitrile
V. D. ATHAWALE & V. LELE (MUMBAI, INDIA)

417 Evidence of intermolecular interactions of β-glucans and arabinoxylans
M. S. IZYDORCZYK & A. W. MACGREGOR (WINNIPEG, CANADA)

421 Effect of sugar and sorbitol on the formation of low methoxyl pectin gels
C. R. F. GROSSO, P. A. BOBBIO & C. AIROLDI (CAMPINAS, S.P., BRAZIL)

Book Reviews

425 Sweeteners: Nutritive
425 Conformation of Carbohydrates
426 Metabolic Pathways of Agrochemicals
427 Organic Coatings: Science and Technology
427 Molecular Modeling on the PC

429 Obituary

431 Bibliography

437 Calendar

439 Contents of Volume 41